

# **NNEPQIN**

## SECTION 7: ADDITIONAL REFERENCES

## Section 6: Additional References

### **Opioids**

- ACOG District II. Opioid Use Disorder in Pregnancy Bundle. Available at <https://www.acog.org/-/media/Districts/District-II/Public/PDFs/ACOGOpioidUseReadinessRecognitionPreventionFINAL.pdf?dmc=1&ts=20180412T2013551033>. Accessed April 29, 2018.
- American College of Obstetricians and Gynecologists. Immediate postpartum long-acting reversible contraception. Committee Opinion no. 670. *Obstet Gynecol* 2016;128:e32-7.
- American College of Obstetricians and Gynecologists. Opioid use and opioid use disorder in pregnancy. Committee Opinion no. 711. *Obstet Gynecol* 2017;130:e81-94.
- American Society of Addiction Medicine. The ASAM Buprenorphine Course Slides. Accessed October 20, 2017.
- Caritis, SN, Bastian, JR, Hongfei, Z et al. An evidence-based recommendation to increase the dosing frequency of buprenorphine during pregnancy. *Am J Obstet Gynecol*. 2017; 217: 459e1-6.
- Klamon SL, Isaacs K, et al. Treating women who are pregnant and parenting for opioid use disorder and the concurrent care of their infants and children: Literature review to support national guidance. *J Addict Med* 2017;11(3);178-190. doi: 10.1097/ADM.0000000000000308
- Krans EE, Patrick SW. Opioid use disorder in pregnancy. *Obstet Gynecol* 2016;128:4-10d
- NNEPQIN. Toolkit for the perinatal care of women with opioid use disorders. Available at: [http://www.nnepqin.org/wp-content/uploads/2017/08/ToolkitOUD\\_Complete\\_Toolkit.pdf](http://www.nnepqin.org/wp-content/uploads/2017/08/ToolkitOUD_Complete_Toolkit.pdf). Accessed January 13, 2018.
- Jones EJ, Deppen K, Leopold A, et al. Clinical care for opioid-using pregnant and postpartum women: the role of obstetric providers. *Am J Obstet Gynecol* 2014;301-310.
- McCance-Katz E, Sullivan L. Drug interactions of clinical importance among the opioids, methadone and buprenorphine, and other frequently prescribe medication: A review. *Am J Addict*.2010;19(1):4-16. Doi: 10.1111/j.1521-0391.2009.00005.x
- Maternal Opiate Medical Support. Decision trees for care of opiate dependent-women. Available at: [http://momsOhio.org/sites/momsOhio/files/2018-12/MOMS%20Decision%20Tree\\_F4\\_6-27-16.pdf](http://momsOhio.org/sites/momsOhio/files/2018-12/MOMS%20Decision%20Tree_F4_6-27-16.pdf). Accessed April 8, 2018.
- Reddy UM, Davis JM, Ren Z, et al. Opioid use in pregnancy, neonatal abstinence syndrome, and Childhood Outcomes. *Obstet Gynecol* 2017;130:10-28. doi: 10.1097/AOG.0000000000002054
- Substance Abuse and Mental Health Services Administration. Clinical Guidance for Treating Pregnant and Parenting Women With Opioid Use Disorder and Their Infants. HHS Publication No. (SMA) 18-5054. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2018. Available at: <https://store.samhsa.gov/product/Clinical-Guidance-for-Treating-Pregnant-and-Parenting-Women-With-Opioid-Use-Disorder-and-Their-Infants/SMA18-5054>. Accessed February 7, 2018
- Substance Abuse and Mental Health Services Administration. Opioid overdose toolkit. Available at: <https://store.samhsa.gov/sites/default/files/d7/priv/sma18-4742.pdf>. Accessed April 29, 2018.
- The Snuggle ME Guidelines: Tools for caring for women with addiction and their babies, Embracing drug affected babies and their families in the first year of life to improve medical care and outcomes Maine. Maine for Disease Control, Department of Health and Human Services. Available at: <http://www.maine.gov/dhhs/SnuggleME/documents/SnuggleME-2018-GuidelinesFINAL.pdf>. Accessed April 6, 2018.
- The Texas Department of State Health Services. The mummies toolkit: Improving outcomes for families impacted by neonatal abstinence syndrome. Available at: [www.dshs.texas.gov/sa/NAS/Mommies\\_Toolkit.pdf](http://www.dshs.texas.gov/sa/NAS/Mommies_Toolkit.pdf). Accessed April 29, 2018.
- Washington State Department of Health. Substance use disorders during pregnancy: Guidelines for screening & management rev 2016. Available at: <https://here.doh.wa.gov/portals/14/materials/950-135-PregSubs-en-L.pdf>. Accessed April 18, 2017.
- Wright TE, Terplan M, Ondersma SJ, et al. The role of screening, brief intervention, and referral to treatment in the perinatal period. *Am J Obstet Gynecol* 2016;215:539-47.
- Zhou L. Postpartum Pain Management. Lecture presented: Ohio Opiate Project Echo; April 13, 2018.

### **Neonatal Abstinence Syndrome**

- Choo RE, Huestis MA, Schroeder JR, Shin AS, Jones HE. Neonatal abstinence syndrome in methadone-exposed infants is altered by level of prenatal tobacco exposure. *Drug and alcohol dependence*. 2004 Sep 6;75(3):253-60.

- Desai RJ, Huybrechts KF, Hernandez-Diaz S, Mogun H, Patorno E, Kaltenbach K, Kerzner LS, Bateman BT. Exposure to prescription opioid analgesics in utero and risk of neonatal abstinence syndrome: population based cohort study. *bmj*. 2015 May 14;350:h2102.
- Finnegan, L, Connaughton, J, Kron, R, Emich, J. Neonatal abstinence syndrome: assessment and management. *Addict. Disorders* 1975; 2; 1-2: 141-58.
- Grossman, M, Berkowitz, A, Osborn, R, Xu, Y, Esserman, D, Shapiro, E, Bizzarro, M. An initiative to improve the quality of care of infants with Neonatal Abstinence Syndrome. *J Pediatrics* 2017 139; 6: e1-8.
- Holmes AV, Atwood EC, Whalen B, et al. Rooming-In to Treat Neonatal Abstinence Syndrome: Improved Family-Centered Care at Lower Cost. *Pediatrics*, 2016; 137(6).
- Howard MB, Schiff MD, Penwill N, et al. Impact of Parental Presence at Infants' Bedside on
- Kaltenbach K, Holbrook AM, Coyle MG, Heil SH, Salisbury AL, Stine SM, Martin PR, Jones HE. Predicting treatment for neonatal abstinence syndrome in infants born to women maintained on opioid agonist medication. *Addiction*. 2012 Nov;107:45-52.
- Patrick, S, Barfield, W, Poindexter, B et al. Neonatal Opioid Withdrawal Syndrome. *Pediatrics* 2020
- MacMacMillan KDL, Rendon CP, Verma K, Riblet N, Washer DB, Volpe Holmes A. Association of rooming-in with outcomes for neonatal abstinence syndrome: a systematic review and meta- analysis. *JAMA Pediatr* 2018; 172: 345-351.
- Neonatal Abstinence Syndrome. *Hosp Pediatr*, 2017; 7(2): 63-69.
- Patrick, S, Schumacher, R, Horbar, J et al. Improving care for Neonatal Abstinence Syndrome. *Pediatrics* 2016; 137; 5. Accessed from <http://pediatrics.aappublications.org/content/early/2016/04/13/peds.2015-3835>
- Seligman NS, Salva N, Hayes EJ, Dysart KC, Pequignot EC, Baxter JK. Predicting length of treatment for neonatal abstinence syndrome in methadone-exposed neonates. *American journal of obstetrics and gynecology*. 2008 Oct 1;199(4):396-e1.

### **Postpartum**

- American College of Obstetricians and Gynecologists. Opioid use and opioid use disorder in pregnancy. Committee Opinion no. 711. *Obstet Gynecol* 2017;130:e81-94.
- American College of Obstetricians and Gynecologists. Optimizing postpartum care. Committee Opinion no. 736. *Obstet Gynecol* 2018.
- Klamon SL, Isaacs K, et al. Treating women who are pregnant and parenting for opioid use disorder and the concurrent care of their infants and children: Literature review to support national guidance. *J Addict Med* 2017;11(3);178-190. doi: 10.1097/ADM.0000000000000308
- Reddy UM, Davis JM, Ren Z, et al. Opioid use in pregnancy, neonatal abstinence syndrome, and Childhood Outcomes. *Obstet Gynecol* 2017;130:10-28. doi: 10.1097/AOG.0000000000002054
- Substance Abuse and Mental Health Services Administration. Clinical Guidance for Treating Pregnant and Parenting Women With Opioid Use Disorder and Their Infants. HHS Publication No. (SMA) 18-5054. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2018. Available at: <https://store.samhsa.gov/shin/content/SMA18-5054/SMA18-5054.pdf>. Accessed February 7, 2018
- The Snuggle ME Guidelines: Tools for caring for women with addiction and their babies, Embracing drug affected babies and their families in the first year of life to improve medical care and outcomes Maine. Maine for Disease Control, Department of Health and Human Services. Available at: <http://www.maine.gov/dhhs/SnuggleME/documents/SnuggleME-2018-GuidelinesFINAL.pdf>. Accessed April 6, 2018.

### **Planned Parenthood**

- One Key Question@- <https://store.samhsa.gov/product/Clinical-Guidance-for-Treating-Pregnant-and-Parenting-Women-With-Opioid-Use-Disorder-and-Their-Infants/SMA18-5054>.
- Main, M. (2016). One Key Question: Would You Like to Become Pregnant in the Next Year? *Northwest Bulletin: Family and Child Health*, 30. Center of Excellence in Maternal and Child Public. Retrieved from <https://depts.washington.edu/nwbfch/archives/one-key-question-would-you-become-pregnant-next-year>.
- Delaware Health and Social Services- Division of Public Health. Adult Life Plan Brochure. Retrieved from <http://dhss.delaware.gov/dhss/dph/chca/dphfppservices1c.html>.
- U.S. Department of Health and Human Services: Office of Population Health. Preconception Health and Reproductive Life Plan. <https://www.hhs.gov/opa/title-x-family-planning/preventive-services/preconception-health-and-reproductive-life-plan/index.html>.